





The most advanced and high-quality
products for homes, offices,
schools or hospitals.

About Us

Founded in 1981, Faraday Group has been committed to delivering high-quality, durable, and innovative solutions since its inception. With the strength of local production, our company stands by its customers, combining modern technology with a strong engineering foundation to offer efficiency-enhancing solutions.

Our product range includes high-performance vehicles, precision processing systems, a wide variety of equipment, and advanced machinery. All our products are designed to meet user needs in the best possible way and are manufactured in accordance with international quality standards.

At Faraday Group, our vision is to be a reliable and innovative brand that shapes the future and supports sustainable solutions. We are proud to serve clients all across Turkey and to represent our country successfully on a global scale.

Faraday Group — Since 1981, the Name of Trust and Quality

EN

TR

1981 yılında kurulan Faraday Grup, kuruluşundan bu yana kaliteli, dayanıklı ve yenilikçi üretim anlayışıyla faaliyet göstermektedir. Yerli üretim gücüyle daima kullanıcılarının yanında olan firmamız, modern teknolojiyi güçlü mühendislik altyapısıyla birleştirerek verimliliği artıran çözümler sunmaktadır.

Ürün yelpazemizde yüksek performanslı araçlardan hassas işleme sistemlerine, çeşitli ekipmanlardan gelişmiş makinelere kadar geniş bir üretim gerçekleştirmekteyiz. Tüm ürünlerimiz, kullanıcı ihtiyaçlarını en iyi şekilde karşılamak üzere tasarlanmakta ve uluslararası kalite standartlarında üretilmektedir.

Faraday Grup olarak vizyonumuz; geleceği şekillendiren, sürdürülebilir çözümleri destekleyen, güvenilir ve yenilikçi bir marka olmaktır. Türkiye'nin dört bir yanına hizmet vermekten ve dünya genelinde ülkemizi başarıyla temsil etmekten gurur duyuyoruz.

Faraday Grup — 1981'den Bugüne, Güvenin ve Kalitenin Adı







Alfa İkili Okul Sırası Serisi

Alfa Double School Desks Series

SIZE 1	SIZE 2	SIZE 3	SIZE 4
Anaokulu Pre School Öğrencinin Boyutu Student Size : 108-121cm Masa Yüksekliği Table Height : 53cm Oturma Yüksekliği Seat Height : 31cm	İlkokul Primary School Öğrencinin Boyutu Student Size : 119-142cm Masa Yüksekliği Table Height : 69cm Oturma Yüksekliği Seat Height : 39cm	Ortaokul Secondary School Öğrencinin Boyutu Student Size : 146-176cm Masa Yüksekliği Table Height : 71cm Oturma Yüksekliği Seat Height : 43cm	Lise* High School* Öğrencinin Boyutu Student Size : 159-188cm Masa Yüksekliği Table Height : 76cm Oturma Yüksekliği Seat Height : 46cm

Navi İkili Öğrenci Sırası

Navi Double Student Desk



Model N 03

ÜRÜN BİLGİSİ | PRODUCT INFORMATION

- Kompakt veya Verzalit Tabla Seçeneği
Compact or Verzalit Raw Material Table
- Oturma Ergonomisine Uygun
In Accordance with Ergonomic Sitting

- Uzun Ömürlü
Heavy Duty
- Estetik Görünüm
Elegance View

- TS EN 1729 Standartlarında
According to EN 1729
- Tel sepetli defter koyma gözü
Wire Basket for Books/Notebooks

- Tabla Üzeri Özel Kalem Yuvası
Split On Table Surface for Pen / Pencil
- Çanta Asma Aparatı
Hanger for Bags





MODEL
HY-0438



● Gray ○ White

Application:
COMMON CLASSROOM

Product Materials:

- Board: MDF + Painting edge
- Frame: Powder coating

Dimension:

Desk: 1100*402*720mm Chair: 1100*224*450mm

Features :



E1 material



Schoolbag hook



Non-slip glides



Environmental friendly





Desk: 600*450*660- 780mmmm
Chair: 430*450*460mm



Desk: 600*400*750mm
Chair: 360*360*440mm



Desk: 600*400*750mm
Chair: 395*395*460mm



Desk: 600*400*750mm
Chair: 360*360*440mm



Desk: 600*420*600- 750mm
Chair: 360*360*340- 440mm



Desk: 600*400*600- 750mm
Chair: 360*360*340- 440mm



Desk: 1100*400*750mm
Chair: 1100*300*440mm



Desk: 1050*360*750mm
Chair: 1050*265*440mm



Desk: 1100*400*750mm
Chair: 1100*300*440mm



Desk: 1100*400*600- 750mm
Chair: 360*360*340- 440mm



Desk: 1100*400*750mm
Chair: 360*360*440mm



Desk: 900*380*550mm
Chair: 270*270*300/560mm



OTURMA DÜZENLERİ / SEATINGS

İKİLİ
DOUBLE



ÜÇLÜ
TRIPLE




DÖRTLÜ
QUADRUPE



LS-EA5003B

Multi-functional Electric Bed

电动病床



SPECIFICATIONS:

- ① Material: powder coated steel bed frame, top class ABS & PP plastic.
- ② Overall dimension: 2115mm(L)*1045mm(W)*477mm-745mm
- ③ Bed board dimension: 1940mm (L)*900mm(W)
- ④ The inner protective railing control panels allow patients to access bed control and adjust as needed for their level of comfort.
The outer protective railing control panels & foot control panel allow caregivers to access bed control when necessary.
Backrest: 0-65°
Knee gatch: 0-40°
Trendelenburg: 0-12°
Rev. Trendelenburg: 0-12°
Hi-LOW: 745-477mm
Reset
- ⑤ 4 damping PP protective railings, with built-in angle indicators, controlled by gas springs. When protective railings fall and retract under the bed board, can achieve seamless connection with the transfer stretcher.
- ⑥ Net weight: 139KG
- ⑦ Safe load capacity: <250KG
- ⑧ Castors: 360° swivel castors (Dia. 150mm), with central brake.
- ⑨ Battery backup for power outages.
- ⑩ Standard accessory: IV pole

规格参数:

- ① 材料: 整床钢架结构, 塑料部分采用优质 ABS 及 PP
- ② 床体尺寸: 2115mm(L)*1045mm(W)*477mm-745mm
- ③ 床面尺寸: 1940mm (L)*900mm(W)
- ④ 可手动操作或遥控开关实现床体各功能, 简单方便
背部角度: 0-65°
膝盖角度: 0-40°
正倾斜: 0-12°
反倾斜: 0-12°
整床升降: 745mm-477mm
电动 CPR
- ⑤ 四片式阻尼升降 PP 护栏, 护栏板上有角度显示器, 护栏落下时收缩于床面板下方旋转运车实现无缝衔接
- ⑥ 净重: 139KG
- ⑦ 承重: <250KG
- ⑧ 直径 150mm 的万向中轮, 通过床尾下方脚踏实现刹车和制动
- ⑨ 配有蓄电池, 以应对停电等紧急情况。
- ⑩ 标准配件: 盐水架



LS-EA5003A

Multi-functional Electric Bed

电动病床



- ① Material : powder coated steel bed frame, top class ABS & PP plastic.
- ② Overall dimension : 2115mm(L)*1045mm(W)*477mm - 745mm
- ③ Bed board dimension : 1940mm (L)*900mm(W)
- ④ 5 functions with 4 electric actuators are controlled by the hand control.
Backrest : 0-65°
Knee catch : 0-40°
Trendelenburg : 0-12°
Rev Trendelenburg : 0-12°
H.L.O.W : 745mm - 477mm
- ⑤ 4 damping PP protective railings, with built-in angle indicators, controlled by gas springs. When protective railings fall and retract under the bed board, can achieve seamless connection with the transfer stretcher.
- ⑥ Net weight : 139KG
- ⑦ Safe load capacity : <250KG
- ⑧ Castors : 360° swivel castors (Dia. 150mm), with central brake.
- ⑨ Battery backup for power outages.
- ⑩ Standard accessory : IV pole




- ① 材料：整体钢结构，塑料部分采用优质ABS及PP
- ② 床体尺寸：2115mm(L)*1045mm(W)*477mm - 745mm
- ③ 床面尺寸：1940mm(L)*900mm(W)
- ④ 五大功能，含4个电机，单手柄操控
背部角度：0-65°
膝部角度：0-40°
正倾斜：0-12°
后倾斜：0-12°
整床升降：745mm - 477mm
- ⑤ 四片式阻尼升降PP护栏，护栏板上还有角度显示器，护栏落下时可收纳于床底板下方随转运车实现无缝衔接
- ⑥ 净重：139KG
- ⑦ 承重：<250KG
- ⑧ 直径 150mm 的万向中轮，通过中轮下方脚踏实现刹车和制动
- ⑨ 配有蓄电池，以应对停电等紧急情况。
- ⑩ 标配配件：盐水架



LS-EA5009A

3-function Electric Bed

电动病床



- ① Material: powder coated steel bed frame, top class ABS & PP plastic.
- ② Overall dimension: 2160mm(L)*1050mm(W)*450mm-665mm
- ③ Bed board dimension: 1940mm(L)*900mm(W)
- ④ Three functions are controlled by the hand control, with battery backup.
Backrest: 0-70°
Knee patch: 0-30°
HI-LOW: 665mm-450mm
- ⑤ Net weight: 130KG
- ⑥ Safe load capacity: <250KG
- ⑦ Castors: 360° swivel castors (Dia. 150mm), with central brake under the foot board.
- ⑧ Standard accessory: IV pole



- ① 材料：整床钢结构，塑料部分采用优质ABS及PP
- ② 床体尺寸：2160mm(L)*1050mm(W)*450mm-665mm
- ③ 床面尺寸：1940mm(L)*900mm(W)
- ④ 三功能电动床通过手控器实现各个功能，带蓄电池
背板角度：0-70°
膝板角度：0-30°
整床升降：665mm-450mm
- ⑤ 净重：130KG
- ⑥ 承重：<250KG
- ⑦ 脚轮：直径150mm的万向中轴轮，通过床尾下方脚踏板实现刹车和制动
- ⑧ 标准配件：输液架

LS-EA5019

3-function Electric Bed

电动病床



- ① Material : powder coated steel bed frame, top class ABS & PP plastic, 4 corner bumpers.
- ② Overall dimension : 2120mm(L)*1045mm(W)*470mm-678mm
- ③ Bed board dimension : 1940mm(L)*900mm(W)
- ④ 3 functions are controlled by the hand control.
Backrest : 0-70°
Knee patch: 0-40°
HI-LOW : 678mm-470mm
- ⑤ Removable head & foot boards can be used as CPR boards in emergency situations.
- ⑥ 1 bumper at each corner.
- ⑦ 4 damping PP protective railings, with built-in angle indicators, controlled by gas springs. When protective railings fall and retract under the bed board, can achieve seamless connection with the transfer stretcher.
- ⑧ Net weight: 130KG
- ⑨ Safe load capacity : <250KG
- ⑩ Castors: 360° swivel castors (Dia. 150mm), with central brake under foot board.
- ⑪ Battery backup for power outages.
- ⑫ Standard accessory: IV pole



- ① 材料：整床钢结构，塑料部分采用优质 ABS 及 PP，床的四个角设有防撞轮。
- ② 床体尺寸：2120mm(L)*1045mm(W)*470mm-678mm
- ③ 床面尺寸：1940mm(L)*900mm(W)
- ④ 三功能电动床，通过手控器实现各个功能。
背部角度：0-70°
膝部角度：0-40°
整床升降：678mm-470mm
- ⑤ 折叠式床头尾板，拆装方便牢固，紧急情况可当 CPR 板使用。
- ⑥ 床四角设有防撞轮保护。
- ⑦ 四片式阻尼升降 PP 护栏，护栏板上设有角度显示器，护栏放下后可置于床面板下方随转运车实现无缝衔接。
- ⑧ 净重：130KG
- ⑨ 承重：<250KG
- ⑩ 脚轮：直径 150mm 的万向中轮，通过床尾下方脚踏实现刹车解锁功能。
- ⑪ 配有蓄电池，以应对停电等紧急情况。
- ⑫ 标准配件：站水架

FARADAY GROUP

CONTACT

FARADAY GRUP ENERJİ VE GEMİCİLİK SANAYİ TİCARET ANONİM ŞİRKETİ

+90 554 441 9735

jan@ormanoglulectric.com

Cumhuriyet Mh. Nasrettin Hoca Cd. No: 28 C

Sivrihisar/ESKİŞEHİR/TÜRKİYE

+90 (532) 567 34 26

+90(216) 912 06 89

Cevizli mahallesi Tugay yolu caddesi

Ofisim İstanbul Sitesi A Blok No:

20A / 41 Maltepe-İstanbul-Türkiye

info@faradaygroups.com

www.faradaygroups.com

2025
ProductCatalog